




3D Bundle

Bundle of Open eVision 3D Libraries

At a Glance



- Cost effective bundle of eVision's 3D libraries
- Includes Easy3D, Easy3DLaserLine, Easy3DObject and Easy3DMatch

Benefits

Easy3D Description

Easy3D is the foundation library of Open eVision's 3D libraries. It contains a set of functions to manage 3D Depth Maps, Point Clouds and ZMap objects. Easy3D is required when using any Open eVision's 3D library and is provided when purchasing Easy3DLaserLine, Easy3DObject, Easy3DMatch or the 3D Bundle.

Easy3DObject Description

Easy3DObject is a library able to automatically extract and measure 3D objects from a Point Cloud or ZMap. Easy3D is required when using any Open eVision's 3D library and is provided when purchasing Easy3DLaserLine, Easy3DObject, Easy3DMatch or the 3D Bundle.

Easy3DMatch Description

The Easy3DMatch library features alignment functions to find the exact pose (position and orientation) of acquired 3D objects using a reference model. This model can be specified as a reference point cloud or as a 3D mesh from CAD software. Easy3D is required when using any Open eVision's 3D library and is provided when purchasing Easy3DLaserLine, Easy3DObject, Easy3DMatch or the 3D Bundle.

Easy3DLaserLine Description

Easy3DLaserLine provides the necessary functions to implement a high-precision calibrated laser line triangulation setup. Easy3D is required when using any Open eVision's 3D library and is provided when purchasing Easy3DLaserLine, Easy3DObject, Easy3DMatch or the 3D Bundle.

Compatibility with 3D sensors

The Easy3D library is able to import data from third-party 3D sensors from Automation Technology, Azure Kinect, Benano, IDS Ensenso, Intel Realsense, Lucid Helios, LMI Gocator, Photoneo PhoXi, Shenzhen SinceVision (SSZN), Zivid and others. Point Clouds and ZMaps are managed efficiently and allow 3D processing and analysis to be performed.

3D Viewer

Use the 3D Viewer class of Easy3D to create an interactive 3D display. The 3D Viewer can display point clouds and 3D objects. It uses the OpenGL interface and requires a compatible display device.

Neo Licensing System

- Neo is the new Licensing System of Euresys. It is reliable, state-of-the-art, and is now available to store Open eVision and eGrabber licenses.
- Neo allows you to choose where to activate your licenses, either on a Neo Dongle or in a Neo Software Container. You buy a license, you decide later.
- Neo Dongles offer a sturdy hardware and provide the flexibility to be transferred from a computer to another.
- Neo Software Containers do not need any dedicated hardware, and instead are linked to the computer on which they have been activated.
- Neo ships with its own, dedicated, Neo License Manager, which comes in two flavours: an intuitive, easy to use, Graphical User Interface and a Command Line Interface that allows for easy automation of Neo licensing procedures.

All Open eVision libraries are available for Windows and Linux

- Windows 7 to Windows 10, x86 (32 bits) and x86-64 (64 bits)
- Linux x86-64 (64 bits) with a glibc version 2.18 or newer

Developed with the support of the DG06 Technology Development Department

Specifications

Software

Host PC Operating System	<ul style="list-style-type: none"> • Open eVision is a set of 32-bit and 64-bit libraries that require a processor compatible with the SSE4 instruction set. • The Deep Learning Bundle is only available in the 64-bit Open eVision library. • Open eVision can be used on the following operating systems: <ul style="list-style-type: none"> – Windows 10 (32- and 64-bits) – Windows 8 (32- and 64-bits) – Windows 7 (32- and 64-bits) – Linux 64 bits (x86-64 only) with a glibc version greater or equal to 2.18 • Since Open eVision 2.6, discontinued support of: <ul style="list-style-type: none"> – Windows Vista 32-bits Service Pack 1 – Windows XP 32-bits Service Pack 3 – Windows Embedded Standard 2009 32-bits • Remote connections <ul style="list-style-type: none"> – Remote connections are allowed using remote desktop, TeamViewer or any other similar software. • Virtual machines <ul style="list-style-type: none"> – Linux virtual machines are supported. Microsoft Hyper-V and Oracle VirtualBox hypervisors have been successfully tested. – Windows virtual machines are not supported. • Minimum requirements: <ul style="list-style-type: none"> – RAM: 8 GB – Display size: 800 x 600. 1280 x 1024 recommended. – Color depth: 16 bits. 32 bits recommended. – Between 100 MB and 2 GB free hard disk space for libraries, depending on selected options.
--------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- APIs
- Supported Integrated Development Environments and Programming Languages:
 - Microsoft Visual Studio 2008 SP1 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2010 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2012 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2013 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2015 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2017 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2019 (C++, C#, VB .NET, C++/CLI)
 - QtCreator 4.15 with Qt 5.12
 - Since Open eVision 2.5.1, discontinued support of:
 - Borland C++ Builder 6.0 update 4 (C++)
 - CodeGear Delphi 2009 (Object Pascal)
 - CodeGear C++ Builder 2009 (C++)
 - Microsoft Visual Studio 6.0 SP6 (C++, Basic)
 - ActiveX API
 - Since Open eVision 2.4.1, discontinued support of:
 - Embarcadero RAD Studio XE4 and XE5 (C++, Object Pascal, 32 bits only)

Ordering Information

- | | |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product code - Description | <ul style="list-style-type: none"> • 4185 - Open 3D Bundle for USB dongle • 4235 - Open 3D Bundle for PAR dongle • 4285 - Open 3D Bundle for soft-based licensing • 4335 - Open eVision 3D Bundle |
| Optional accessories | <ul style="list-style-type: none"> • 6512 - eVision/Open eVision USB Dongle (empty) • 6513 - eVision/Open eVision Parallel Dongle (empty) • 6514 - Neo USB Dongle (empty) |



EMEA

Euresys SA

Liège Science Park - Rue du Bois Saint-Jean, 20
4102 Seraing - Belgium

Phone: +32 4 367 72 88
Email: sales.europe@euresys.com

EMEA

Sensor to Image GmbH

Lechtorstrasse 20 -
86956 Schongau - Germany

Phone: +49 8861 2369 0
Email: sales.europe@euresys.com

AMERICA

Euresys Inc.

27132-A Paseo Espada - Suite 421
San Juan Capistrano, CA 92675 - United States

Phone: +1 949 743 0612
Email: sales.americas@euresys.com

ASIA

Euresys Pte. Ltd.

750A Chai Chee Road - #07-15 ESR BizPark @ Chai Chee
Singapore 469001 - Singapore

Phone: +65 6445 4800
Email: sales.asia@euresys.com

CHINA

Euresys Shanghai Liaison Office

Unit 802, Tower B, Greenland The Center - No.500 Yunjin Road, Xuhui District
200232 Shanghai - China

Euresys 上海联络处

上海市徐汇区云锦路500号绿地汇中心B座802室
200232

Phone: +86 21 33686220
Email: sales.china@euresys.com

CHINA

Euresys Shenzhen Liaison Office

Room 1202 - Chinese Overseas Scholars Venture Building
518057 Shenzhen - China

Euresys 深圳联络处

深圳南山区留学生创业大厦1期1202
518057

Phone: +86 755 86506902
Email: sales.china@euresys.com

JAPAN

Euresys Japan K.K.

Expert Office Shinyokohama - Nisso Dai 18 Building, Shinyokohama 3-7-18, Kohoku
Yokohama 222-0033 - Japan

〒222-0033

神奈川県横浜市港北区新横浜3-7-18 日総第18ビル エキスパートオフィス新横浜

Phone: +81 45 594 7259

Email: sales.japan@euresys.com

More at www.euresys.com

