



2/3" 1.4/16mm C	2/3"	1/1.8"	1/2"
FOCAL LENGTH	f=16mm		
MAX. DIAMETER (RATIO)	F=1:1.4,4,8,16		
ELEMENT	7 8		
PICTURE SIZE	6.6x8.8mm	5.4x7.2	4.8x6.4
ANGLE	VER. ANGLE	22.7°	18.6°
	HOR. ANGLE	30.0°	24.7°
	DIA. ANGLE	37.0°	30.9°
DISTORTION (TV)	-0.05%		
SHOOTING RANGE AT	VER.	84.4mm	68.7
MINIMUM FOCUS	HOR.	112.8mm	91.8
DISTANCE	DIA.	141.2mm	114.9
MINIMUM FOCUS DISTANCE	0.2m		
FLANGE BACK	17.526 mm in air		
BACK FOCUS	13.1mm in air (Mechanical 13.1mm in air)		
FILTER SCREW SIZE	M27x0.5		
FRONT/REAR EFFECTIVE DIA.	FRONT φ20.2mm		REAR φ15.5mm
MOUNT	C-MOUNT		
EXIT PUPIL	338.4mm		
TEMPERATURE RANGE	-10~+50°C		
STORAGE TEMPERATURE RANGE	-20~+60°C		
RESOLUTION CENTER/CORNER	CENTER 120lp/mm		CORNER 100lp/mm
WEIGHT	76.5g		

NOTE: Specifications and availability are subject to change without notice.



		1/1	
		2/3" F1.4 f=16mm	
2014.12.26		LM16JCM-V	
2014.6.9			