



PRICE GUIDE



**FILTERS: A NECESSITY,
NOT AN ACCESSORY.**

CONTENTS

How To Order	2
Slip Mount Pricing	3
Filters, Kits & Accessories Line-up	3 - 4
Bandpass Filters (BP Series: Broad Bandwidth)	5
Bandpass Filters (BN Series: Narrow Bandwidth)	6
Bandpass Filters (Bi Series: Narrow Interference)	7
Dual Bandpass Filters (DB Series: Dual Bandwidth)	8
Triple Bandpass Filters (TB Series: Triple Bandwidth) ...	8
Longpass Filters (LP Series)	9
Shortpass Filters (SP Series: VIS Pass / NIR Block)	10

Acrylic Filters (AB Series: Acrylic Bandpass)	10
Neutral Density Filters (ND Series: VIS)	11
Neutral Density Filters (Ni Series: VIS-NIR)	11
Lens Protection Filters	12
Light Balancing Filters	12
Polarizing Filters	13
Polarizing Film Material	14
Filters Kits	15 - 17
Accessories	18 - 19
Return Policy & Warranty	20

HOW TO ORDER

A simple 4 steps to help you order the right filter needed for your order.

1 SELECT A FILTER

Choose "Part # Prefix" from the charts

Example:
BP470


2 CHOOSE MOUNTING SOLUTION

Choose solution from Threaded Mount, 25.4° C-Mount, Unmounted or Slip Mount



Threaded Mount

- Designed for lenses with filter threads
- Stocked sizes: M22.5 – M58
- M62 – M105 are made to order & not returnable
- Custom thread sizes available



25.4° C-Mount

- Exclusively designed by Midopt to thread directly into any C-Mount Camera between the lens and sensor
- Custom installation wrench included
- Standard Filter thickness: 1mm



Unmounted (Filter, No Mount)

- Available for any filter type
- Custom shapes & sizes available
- Typically fabricated with 1-2 weeks
- Call for unique-shape pricing



Slip Mount

- For lenses without filter threads
- Accommodates threaded filter mounts
- Locking set screws to secure the mount adapter to the lens
- Custom Machined
- Non-returnable

3 DETERMINE SIZE

Add Part# Suffix from chart at right

- Select mount size from price chart
- Add part suffix from chart at right

(Example: **M27**)

- 25.4° C-Mount camera thread size = **M25.4**

Circle

- Use "D"
- Add diameter (Example: **19mm**)

Rectangle

- Use "R"
- Add measurement of longest side x shortest side (Example: **30x15 mm**)

Square

- Use "R"
- Add side measurement (Example: **30 mm**)

- Use "S" for Slip Mount
- Measure the outside diameter of the lens

(Example: **42 mm**)

4 PLACE ORDER

Place order with Final Part#

BP470-27

BP470-25.4

BP470-D19

BP470-R30x15

BP470-R30


BP470-S42

THREADED FILTER MOUNT REFERENCE

Thread Size	M13.25	M22.5	M25.4° C-Mount	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
Part # Suffix	-13.25	-22.5	-25.4	-25.5	-27	-30.5	-34	-35.5	-37	-37.5	-39	-40.5	-43	-46	-48	-49	-52	-55	-58	-62	-67	-72	-77	-82	-86	-095	-105
Pitch	P0.5	P0.5	P32TPI	P0.5	P0.5	P0.5	P0.5	P0.5	P0.75	P0.5	P0.5	P0.5	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P0.75	P1.0	P1.0	P1.0
External Diameter (mm)	14.4	24	25.2	27.5	29	32.5	36	37.5	39	39.5	41	42.5	45	48	50	51	54	57	60	64	70	75	80	85	89	98.2	109.8
Aperture Diameter (mm)	10.6	18.5	19.5	21	22.5	25.5	29	30.5	31.9	32.5	34	35.5	38	41	43	44	47	50	52.9	57.1	61.8	66.9	71.9	76.8	80.8	89.9	100

SLIP MOUNT PRICING

- Choose a filter
- Match the outside diameter of your lens with the range listed below
- Find the price for the corresponding Threaded Filter Mount size
- Total Price = Threaded Mount Price + Slip Mount Price



Outside Diameter Range (mm)	M12 13.2-14.2	M12 14.3-15.0	15.1-19.0	19.1-26.5	26.6-31.9
Threaded Filter Mount Size	S14A*	S15A*	M22.5	M30.5	M40.5
Slip Mount Price	20.00	20.00	50.00	50.00	50.00

Outside Diameter Range (mm)	32.0-40.9	41.0-50.9	51.0-57.9	58.0-68.0	68.1-79.0	79.1-101.0
Threaded Filter Mount Size	M46	M55	M62	M72	M82	M105
Slip Mount Price	50.00	62.50	62.50	75.00	87.50	112.50

Linear polarizers used in conjunction with slip mounts will be placed in a fixed mount. When ordering the "R" in the part # will become "L" ex: **PL032**. For proper orientation, rotate the slip mount prior to securing to the lens; All prices are listed in usd (\$). *For S14A & S15A mounted filter pricing, refer to M13.25 filter price column.

KEY FEATURES		SE ✓	StableEDGE® Technology	A/R	Anti-Reflection Coated	40/20	40/20 Scratch/Dig
PART #	DESCRIPTION	USEFUL RANGE (nm)	FWHM	SE ✓	A/R	40/20	40/20

BANDPASS | BP Series: Broad Bandwidth

BP250	Deep-to-Near UV Bandpass	230-275	40nm	•	•	•	★
BP324	Near-UV Bandpass	290-365	105nm	•	•	•	•
BP365	Near-UV Bandpass	335-400	80nm	•	•	•	•
BP470	Blue Bandpass	425-495	85nm	•	•	•	•
BP485	Absorptive VIS Bandpass/NIR Block	380-585	285nm	•	•	•	•
BP500	Green-Blue Bandpass	440-555	248nm	•	•	•	•
BP505	Cyan Bandpass	485-550	90nm	•	•	•	•
BP525	Light Green Bandpass	500-555	80nm	•	•	•	•
PE530	Photopic Response Filter	495-565	120nm	•	•	•	•
BP550	NIR/UV Block-Visible Bandpass	405-690	300nm	•	•	•	•
BP590	Orange Bandpass	560-600	70nm	•	•	•	•
BP635	Light Red Bandpass	615-645	60nm	•	•	•	•
BP660	Dark Red Bandpass	640-680	65nm	•	•	•	•
BP695	Near-IR Bandpass	680-720	65nm	•	•	•	•
BP735	Near-IR Bandpass	715-780	90nm	•	•	•	•
BP800	Near-IR Bandpass	745-950	315nm	•	•	•	•
BP850	Near-IR Bandpass	820-910	160nm	•	•	•	•
BP880	Near-IR Bandpass	845-930	130nm	•	•	•	•

★ 60/40 Scratch/dig surface quality

BANDPASS | BN Series: Narrow Bandwidth

BN470	Narrow Blue Bandpass	460-490	•	•	•	•
BN520 (NEW)	Narrow Green Bandpass	510-545	•	•	•	•
BN532	Narrow Green Bandpass	525-550	•	•	•	•
BN535 (NEW)	Narrow Green Bandpass	520-545	•	•	•	•
BN595	Narrow Orange Bandpass	580-610	•	•	•	•
BN630	Narrow Light Red Bandpass	625-645	•	•	•	•
BN650	Narrow Dark Red Bandpass	638-672	•	•	•	•
BN660	Narrow Dark Red Bandpass	645-675	•	•	•	•
BN740	Narrow Near-IR Bandpass	730-755	•	•	•	•
BN785	Narrow Near-IR Bandpass	770-790	•	•	•	•
BN810	Narrow Near-IR Bandpass	798-820	•	•	•	•
BN850	Narrow Near-IR Bandpass	840-865	•	•	•	•
BN880	Narrow Near-IR Bandpass	855-890	•	•	•	•
BN940	SWIR Bandpass	928-955	•	•	•	•

BANDPASS | SWIR: Short-Wave Infrared

BP1000 (NEW)	SWIR Bandpass	930-1030	•	•	•	•
BP1550 (NEW)	SWIR Bandpass	1485-1645	•	•	•	•
Bi1300 (NEW)	SWIR Interference Bandpass	1290-1310	•	•	•	•
Bi1450 (NEW)	SWIR Interference Bandpass	1440-1460	•	•	•	•
Bi1550 (NEW)	SWIR Interference Bandpass	1540-1560	•	•	•	•

PART #	DESCRIPTION	USEFUL RANGE (nm)	FWHM	SE ✓	A/R	40/20
--------	-------------	-------------------	------	------	-----	-------

BANDPASS | Bi Series: Narrow Interference

Bi405	Violet Interference Bandpass	400-415	•	•	•	•
Bi450	Blue Interference Bandpass	445-465	•	•	•	•
Bi518 (NEW)	(Limited) Light Green Interference Bandpass	510-525	•	•	•	•
Bi520	Light Green Interference Bandpass	515-525	•	•	•	•
Bi550	Green Interference Bandpass	535-558	•	•	•	•
Bi632	Light Red Interference Bandpass	625-640	•	•	•	•
Bi650	Red Interference Bandpass	643-665	•	•	•	•
Bi660	Dark Red Interference Bandpass	650-665	•	•	•	•
Bi685 (NEW)	Dark Red Interference Bandpass	675-692	•	•	•	•
Bi725	Red Edge Bandpass	717-732	•	•	•	•
Bi808	Near-IR Interference Bandpass	798-820	•	•	•	•
Bi850	Near-IR Interference Bandpass	845-860	•	•	•	•
Bi905 (NEW)	Near-IR Interference Bandpass	895-915	•	•	•	•

DUAL BANDPASS | DB Series: Dual Bandwidth

DB395/870	Absorptive VIS + NIR	375-425, 745-970	•	•	•	•
DB475/850	Blue + 850nm NIR	460-490, 830-870	•	•	•	•
DB550/850	Green + 850nm NIR	535-565, 830-870	•	•	•	•
DB660/850	Red + 850nm NIR	645-675, 830-870	•	•	•	•
DB735	Visible + 735nm NIR	405-645, 725-755	•	•	•	•
DB850	Visible + 850nm NIR	405-645, 835-875	•	•	•	•
DB940	Visible + 940nm NIR	405-650, 925-965	•	•	•	•

TRIPLE BANDPASS | TB Series: Triple Bandwidth

TB475/550/850	Blue + Green + NIR	468-483, 543-558, 835-865	•	•	•	•
TB550/660/850	Green + Red + NIR	543-558, 653-668, 835-865	•	•	•	•

LONGPASS | LP Series: Longpass

LP170 (NEW)	Fused Silica Protective Window	200-2300	•	•	•	•
LP171 (NEW)	Fused Silica Protective Window	200-2300	•	•	•	•
LP190 (NEW)	Sapphire Protective Window	250-2300	•	•	•	•
LP285	Borofloat Heat Resistant VIS-NIR A/R Protective Window	350-1100	•	•	•	•
LP286 (NEW)	Borofloat Heat Resistant VIS-NIR Oleophobic A/R Protective Window	350-1100	•	•	•	•
LP330	Glass Protective Window	350-1100	•	•	•	•
LP340	A/R Glass Protective Window	350-800	•	•	•	•
LP341 (NEW)	Oleophobic A/R Coating Protective Window	365-1100	•	•	•	•
LP345 (NEW)	Oleophobic A/R Coating Protective Window	365-1100	•	•	•	•
LP390	UV Absorbing Protective Window	410-1100	•	•	•	•
LP415	UV Block	415-1100	•	•	•	•
LP470	Light Yellow Longpass	480-1100	•	•	•	•
LP500	Yellow Longpass	510-1100	•	•	•	•
LP515	Yellow-Orange Longpass	520-1100	•	•	•	•
LP530	Orange Longpass	545-1100	•	•	•	•
LP550	Orange Longpass	560-1100	•	•	•	•
LP580	Red-Orange Longpass	585-1100	•	•	•	•
LP590	Red Longpass	605-1100	•	•	•	•
LP610	Red Longpass	620-1100	•	•	•	•
LP630	Red Longpass	645-1100	•	•	•	•
LP645	Dark Red Longpass	650-1100	•	•	•	•
LP665	Dark Red Longpass	680-1100	•	•	•	•
LP695	Near-IR Longpass	715-1100	•	•	•	•
LP715	Near-IR Longpass	730-1100	•	•	•	•
LP780	Near-IR Longpass	800-1100	•	•	•	•
LP800	Near-IR Longpass	820-1100	•	•	•	•
LP815	Near-IR Longpass	825-1100	•	•	•	•
LP830	Near-IR Longpass	845-1100	•	•	•	•
LP850	Near-IR Longpass	870-1100	•	•	•	•
LP900	SWIR Longpass	910-1100	•	•	•	•
LP920	SWIR Longpass	930-2300	•	•	•	•
LP1000	SWIR Longpass	1010-2300	•	•	•	•
LP1070 (NEW)	SWIR Longpass	1100-2300	•	•	•	•
LP1475 (NEW)	SWIR Longpass	1490-2300	•	•	•	•
LP1475A (NEW)	SWIR Longpass / Extended VIS Block	1490-2300	•	•	•	•
LP1850 (NEW)	SWIR Longpass	1900-12,000	•	•	•	•

† Oleophobic AR Coating

PART #	DESCRIPTION	USEFUL RANGE (nm)	FWHM	SE	A/R	40/20
SHORTPASS SP Series: VIS Pass						
SP510	Blue Shortpass	340-500			•	•
SP570	Blue-Green Shortpass	410-560			•	•
SP585	Cyan Shortpass	395-575			•	•
NF550	Magenta Dichroic (Green Block)	395-475, 605-700			•	•

SHORTPASS SP Series: VIS Pass / NIR Block						
SP625	Blue-Orange Shortpass	425-620		•	•	•
SP635	Absorptive VIS Shortpass/NIR Block	380-585		•	•	•
SP644	Near-IR/Mid-Red Dichroic Block	395-638		•	•	•
SP645	Near-IR/Mid-Red Dichroic Block	400-640		•	•	•
SP650	Near-IR/Mid-Red Dichroic Block	400-640		•	•	•
SP675	Near-IR/Deep Red Dichroic Block	420-660		•	•	•
SP700	Near-IR/UV Block-Visible Shortpass	405-690		•	•	•
SP701	Extended Hot Mirror	410-690		•	•	★
SP705	Near-IR/Deep Red Absorp. Block	370-630	•	•	•	•
SP730	Near-IR/Colorless Dichroic Block	400-710		•	•	•
SP785	Modified Near-IR Dichroic Block	425-770		•	•	•

★ 60/40 Scratch/dig surface quality

NEUTRAL DENSITY ND Series: VIS						
ND030	Absorptive 50% Transmission	425-675	•	•	•	•
ND060	Absorptive 25% Transmission	425-675	•	•	•	•
ND090	Absorptive 12.5% Transmission	425-675	•	•	•	•
ND120	Absorptive 6.25% Transmission	425-675	•	•	•	•
ND200	Absorptive 1.0% Transmission	425-675	•	•	•	•
ND300	Absorptive 0.1% Transmission	425-675	•	•	•	•
ND400	Absorptive 0.01% Transmission	425-675	•	•	•	•

NEUTRAL DENSITY Ni Series: VIS-NIR						
Ni030	Low Reflectivity 50% Transmission	400-2000		•	•	•
Ni060	Low Reflectivity 25% Transmission	400-2000		•	•	•
Ni090	Low Reflectivity 12.5% Transmission	400-2000		•	•	•
Ni120	Low Reflectivity 6.25% Transmission	400-2000		•	•	•
Ni200 (NEW)	Reflective 1% Transmission	400-2000		•	•	•

PROTECTIVE LP Series: Lens Protection						
AC370	A/R Acrylic Protective Window	380-850	•	•	•	•
AC380	A/R Acrylic Protective Window	450-850	•	•	•	•
AC405 (NEW)	UV Block Acrylic Protective Window	415-1100	•	•	•	•
LP170 (NEW)	Fused Silica Protective Window	200-2300	•	•	•	•
LP171 (NEW)	Coated Fused Silica Protective Window	200-2300	•	•	•	•
LP190 (NEW)	Sapphire Protective Window	250-2300	•	•	•	•
LP285	Borofloat Heat Resistant VIS-NIR A/R Protective Window	350-1100	•	•	•	•
LP286 (NEW)	Borofloat Heat Resistant VIS-NIR Oleophobic A/R Protective Window	350-1100	•	•	•	•
LP330	Glass Protective Window	350-1100	•	•	•	•
LP340	A/R Glass Protective Window	350-800	•	•	•	•
LP341 (NEW)	Oleophobic A/R Protective Window	365-1100	•	•	•	•
LP345 (NEW)	Oleophobic A/R Protective Window	365-1100	•	•	•	•
LP390	UV Absorbing Protective Window	410-1100	•	•	•	•
LP415	UV Block	415-1100	•	•	•	•

★ 80/50 Scratch/dig surface quality † Oleophobic AR Coating

ACRYLIC AB Series: Acrylic Bandpass						
AB555	Acrylic Absorptive NIR/UV-Block Visible Bandpass	470-645	•	•	•	•

ACRYLIC AC Series: Acrylic Longpass						
AC370	A/R Acrylic Protective Window	380-850	•	•	•	•
AC380	A/R Acrylic Protective Window	450-850	•	•	•	•
AC405 (NEW)	UV Block Acrylic Protective Window	415-1100	•	•	•	•
AC685	Acrylic Near-IR Longpass	710-1100	•	•	•	•
AC760	Acrylic Near-IR Longpass	780-1100	•	•	•	•
AC800	Acrylic Near-IR Longpass	815-1100	•	•	•	•
AC850	Acrylic Near-IR Longpass	880-1100	•	•	•	•
AC900	Acrylic SWIR Longpass	930-1650	•	•	•	•
AC915 (NEW)	Acrylic SWIR Longpass	960-1650; 1750-1890; 1925-2090	•	•	•	•

† Oleophobic AR Coating

PART #	DESCRIPTION	USEFUL RANGE (nm)	FWHM	SE	A/R	40/20
LIGHT BALANCING						
LA080	Light Balancing (Minus Blue)	400-700		•	•	•
LA120	Light Balancing (Minus Blue)	400-700		•	•	•
LB080	Light Balancing (Minus Red)	400-700		•	•	•
LB120	Light Balancing (Minus Red)	400-700		•	•	•
FL550	Light Balancing (Minus Green)	400-700		•	•	•

PART #	DESCRIPTION	USEFUL RANGE (nm)	CONTRAST RATIO	A/R	40/20
POLARIZING FILM					
PS007	High Contrast Linear Film .007" thk	400-700	Up to 3000:1		★
PSA007	High Contrast Linear Film .007" thk (self adhesive)	400-700	Up to 3000:1		★
PS010	High Contrast Linear Film .010" thk	400-700	Up to 3000:1		★
PS030	Ultra High Contrast Linear Film .030" thk	400-700	Up to 7000:1		★
HT025	High Temp. Linear Film .025" thk	400-700	Up to 5000:1		•
HT008	High Temp. Linear Film .008" thk	400-700	Up to 10,000:1		★
HTA008	High Temp. Linear Film .008" thk (self adhesive)	400-700	Up to 10,000:1		★
PG120	Ultra High Contrast Glass Linear Polarizer	400-700	Up to 10,000:1	†	★
PS1000 (NEW)	VIS-NIR Wire Grid Linear Film Polarizer	400-2000	Up to 8000:1		★
PSA1000 (NEW)	VIS-NIR Wire Grid Linear Film Polarizer (self adhesive)	400-2000	Up to 8000:1		★
PG1000 (NEW)	Wire Grid Glass Linear Polarizer	400-2000	Up to 8000:1	†	★

★ 80/50 Scratch/dig surface quality † Oleophobic AR Coating

POLARIZING FILTERS					
PR032	Linear Polarizer	400-700	Up to 3000:1	•	•
PR120	Ultra High Contrast Linear Polarizer	400-700	Up to 10,000:1	†	•
PC052	Circular Polarizer	400-700	Up to 700:1	•	•
PR1000 (NEW)	VIS-NIR Wire Grid Linear Polarizer	400-2000	Up to 8000:1	†	★

★ 60/40 Scratch/dig surface quality † Oleophobic AR Coating

PART #	DESCRIPTION	PART #	DESCRIPTION
FILTER KITS		FILTER KITS	
SK100	Filter Test Kit	FS100	Machine Vision Swatch Filter Test Kit
FK200-27	Machine Vision Filter Test Kit	NS100	Neutral Density Swatch Filter Test Kit
FK220-27	BN Series Filter Test Kit		

PART #	DESCRIPTION
ACCESSORIES	
BF590	Backlight fluoreSHEET™
RA034	Rotating Right Angle Attachment (360°)
RA060	Rotating Right Angle Attachment (360°)
LE100-LP340	Lens Enclosure — Glass Protective Window with A/R Coating Includes: LE245-43, LE025-43, LE005-43, LP340-43
LE100-AC380	Lens Enclosure — Acrylic Protective Window with A/R Coating Includes: LE245-43, LE025-43, LE005-43, AC380-43
LE245-43	Lens Enclosure Base Mount with Built in 5mm Spacer
LE005-43	Lens Barrel 5mm
LE010-43	Lens Barrel 10mm
LE025-43	Lens Barrel 25mm
CU700	Close-up Lens Set
EXT-UL-SET	Extension Rings — 4 Ring Set: 1mm, 5mm, 10mm, 20mm
EXT-S-SET	Extension Rings — 6 Ring Set: 0.5mm, 1mm, 5mm, 10mm, 20mm, 40mm
EXT-size	Extension Ring (Available in 0.5mm, 1mm, 2mm, 5mm, 10mm, 15mm, 20mm, 30mm, 40mm, 50mm, 100mm)
SU*	Step-Up Adapter Rings
SD*	Step-Down Adapter Rings
CK100	Cleaning Kit
CK100-NA	Compact Cleaning Kit (without Compressed Air)

* Refer to midopt.com for part # size variations. See pg. 18.

Due to continuous product improvement, specifications are subject to change without notice.

BANDPASS FILTERS | BP Series: Broad Bandwidth

Part # Prefix	25.4° C-Mount	THREADED FILTER MOUNTS																									
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-10 (mm)
● BP250	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call
● BP324	147.30																										
● BP365		75.00	111.30	111.30	119.50	119.50	130.80	130.80	139.00	139.00	153.00	153.00	153.00	166.80	172.30	172.30	178.00	186.30	194.50	241.80	278.00	311.30	355.80	416.80	480.80	666.80	728.00
● BP470																											
● BP485	132.50	67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	432.50	600.00	655.00
● BP500																											
● BP505	147.30																										
● BP525		75.00	111.30	111.30	119.50	119.50	130.80	130.80	139.00	139.00	153.00	153.00	153.00	166.80	172.30	172.30	178.00	186.30	194.50	241.80	278.00	311.30	355.80	416.80	480.80	666.80	728.00
○ PE530																											
○ BP550	132.50	67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	432.50	600.00	655.00
● BP590	147.30	75.00	111.30	111.30	119.50	119.50	130.80	130.80	139.00	139.00	153.00	153.00	153.00	166.80	172.30	172.30	178.00	186.30	194.50	241.80	278.00	311.30	355.80	416.80	480.80	666.80	728.00
● BP635	132.50																										
● BP660																											
● BP695																											
● BP735		67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	432.50	600.00	655.00
● BP800																											
● BP850																											
● BP880																											
● BP1000* NEW	289.50	165.00	250.00	250.00	265.00	265.00	285.00	285.00	310.00	310.00	340.00	340.00	340.00	375.00	380.00	380.00	395.00	400.00	415.00	435.00	500.00	560.00	640.00	750.00	865.00	1220.00	1325.00
● BP1550 NEW	—	265.00	350.00	350.00	365.00	365.00	385.00	385.00	410.00	410.00	440.00	440.00	440.00	475.00	480.00	480.00	495.00	500.00	515.00	535.00	600.00	660.00	740.00	850.00	965.00	1320.00	1425.00

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Not available in 1mm thickness. When ordering with a C-Mount order M25.4-SIS (5mm thick mount). See 25.4° C-Mount for pricing.

BANDPASS FILTERS | BN Series: Narrow Bandwidth

Part # Prefix	25.4° C-Mount	THREADED FILTER MOUNTS																									
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35. (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51. (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68. (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98. (mm)	99-105 (mm)
● BN470	204.00	104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	665.50	923.30	1,007.80
● BN520 NEW	204.00	104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	—	—	—
● BN532	204.00	104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	665.50	923.30	1,007.80
● BN535 NEW	204.00	104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	—	—	—
● BN595	204.00																										
● BN630																											
● BN650																											
● BN660*		104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	665.50	923.30	1,007.80
● BN740																											
● BN785																											
● BN810																											
● BN850*																											
● BN880	204.00	104.00	154.00	154.00	165.50	165.50	181.00	181.00	192.50	192.50	211.80	211.80	211.80	231.00	238.50	238.50	246.30	257.80	269.30	334.80	384.80	431.00	492.50	577.00	—	—	—
● BN940																											

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Not available in 1mm thickness. When ordering with a C-Mount order M25.4-SIS (5mm thick mount). See 25.4° C-Mount for pricing.

BANDPASS FILTERS | Bi Series: Narrow Interference

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																											
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105		
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																											
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.5 (mm)	-	-	-		
 Bi405	230.00																												
 Bi450																													
 Bi518 NEW																													
 Bi520																													
 Bi550																													
 Bi632																													
 Bi650		131.30	193.80	193.80	209.40	209.40	228.20	228.20	240.70	240.70	265.70	265.70	265.70	290.70	300.00	300.00	309.40	325.00	337.50	412.50	481.30	540.70	618.80	721.90	-	-	-		
 Bi660																													
 Bi685 NEW																													
 Bi725																													
 Bi808																													
 Bi850																													
 Bi905 NEW																													
 Bi1300 NEW	315.00																												
 Bi1450 NEW		190.00	275.00	275.00	300.00	300.00	330.00	330.00	340.00	340.00	390.00	390.00	400.00	400.00	460.00	460.00	480.00	480.00	480.00	525.00	625.00	725.00	825.00	1000.00	-	-	-		
 Bi1550 NEW																													

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

DUAL BANDPASS FILTERS | DB Series: Dual Bandwidth

	Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																											
			M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105		
			UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																											
			10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.5 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)		
	DB395/870	132.50	67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	432.50	600.00	655.00		
	DB475/850	210.00																												
	DB550/850		130.00	190.00	190.00	205.00	205.00	225.00	225.00	240.00	240.00	265.00	265.00	280.00	290.00	290.00	290.00	300.00	315.00	320.00	400.00	475.00	540.00	600.00	720.00	—	—	—		
	DB660/850																													
	DB735	132.50																												
	DB850		67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	—	—	—		
	DB940																													

ADDITIONAL PRICING: Slip Mounts see pg.3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

TRIPLE BANDPASS FILTERS |TB Series: Triple Bandwidth

	Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																									
			M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
			UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
			10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.5 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)
	TB475/550/850	362.50	212.50	300.00	300.00	335.00	335.00	362.50	362.50	375.00	375.00	425.00	425.00	425.00	475.00	512.50	512.50	525.00	537.50	537.50	612.50	737.50	875.00	1000.00	1125.00	—	—	—
	TB550/660/850																											

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

LONGPASS FILTERS | LP Series: Longpass

Part # Prefix	25.4° C-Mount	THREADED FILTER MOUNTS																										
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105	
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																										
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)	
○ LP170 NEW	—	77.00	113.00	113.00	124.00	124.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	138.00	148.00	174.00	209.00	270.00	313.00	365.00	469.00	556.00	
○ LP171 NEW	—	96.25	141.25	141.25	155.00	155.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	172.50	185.00	217.50	261.25	337.50	391.25	456.25	586.25	695.00	
○ LP190 NEW	120.00	78.00	120.00	120.00	156.25	156.25	175.00	175.00	187.50	187.50	212.50	390.00	430.00	430.00	430.00	430.00	650.00	650.00	775.00	870.00	1022.50	1230.00	1350.00	1550.00	—	—	—	
○ LP285	82.50	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00	
○ LP286 NEW	92.00	61.25	90.50	90.50	99.00	99.00	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	110.00	118.50	139.00	166.75	215.50	250.00	292.00	375.00	444.50	
○ LP330	59.38	35.00	45.00	45.00	45.00	45.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	56.25	70.00	75.00	87.50	95.00	115.00	135.00	162.50	187.50	
○ LP340	82.50	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00	
○ LP341 NEW	92.00	61.25	90.50	90.50	99.00	99.00	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	110.00	118.50	139.00	166.75	215.50	250.00	292.00	375.00	444.50	
○ LP345 NEW	103.25	68.75	101.75	101.75	111.00	111.00	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	123.50	133.00	156.25	187.50	242.25	281.25	328.25	422.00	500.00	
○ LP390	82.50																											
○ LP415																												
● LP470																												
● LP500																												
● LP515																												
● LP530																												
● LP550																												
● LP580		55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00
● LP590																												
● LP610																												
● LP630																												
● LP645																												
● LP665																												
● LP695																												
● LP715																												
● LP780	132.50																											
● LP800																												
● LP815																												
● LP830																												
● LP850*		67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	432.50	600.00	655.00	
● LP900																												
● LP920																												
● LP1000*																												
● LP1070 NEW	250.00	127.50	187.50	187.50	200.00	200.00	212.50	212.50	237.50	237.50	262.50	262.50	287.50	312.50	325.00	337.50	350.00	350.00	350.00	500.00	625.00	687.50	700.00	1175.00	1212.50	1225.00	1237.50	
● LP1475 NEW	212.50	90.00	150.00	150.00	162.50	162.50	175.00	175.00	200.00	200.00	225.00	225.00	250.00	275.00	287.50	300.00	312.50	312.50	312.50	375.00	437.50	475.00	500.00	525.00	562.50	575.00	625.00	
● LP1475A* NEW	250.00	127.50	187.50	187.50	200.00	200.00	212.50	212.50	237.50	237.50	262.50	262.50	287.50	312.50	325.00	337.50	350.00	350.00	350.00	500.00	625.00	687.50	700.00	1175.00	1212.50	1225.00	1237.50	
● LP1850 NEW	875.00	625.00	787.50	787.50	800.00	800.00	825.00	825.00	850.00	850.00	975.00	975.00	1000.00	1062.50	1312.50	1312.50	1562.50	1562.50	1562.50	1625.00	1687.50	2962.50	2962.50	2987.50	3000.00	3062.50	3125.00	

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Not available in 1mm thickness. When ordering with a C-Mount order M25.4-SIS (5mm thick mount). See 25.4° C-Mount for pricing.

SHORTPASS FILTERS | SP Series: VIS Pass / NIR Block

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																											
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105		
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																											
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)		
 SP510	132.50																												
 SP570																													
 SP585																													
 NF550																													
 SP625																													
 SP635																													
 SP644	132.50	67.50	100.00	100.00	107.50	107.50	117.50	117.50	125.00	125.00	137.50	137.50	137.50	150.00	155.00	155.00	160.00	167.50	175.00	217.50	250.00	280.00	320.00	375.00	—	—	—		
 SP645	132.50																												
 SP650																													
 SP675																													
 SP700																													
 SP701																													
 SP705																													
 SP730																													
 SP785																													

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

ACRYLIC FILTERS | AB Series: Acrylic Bandpass

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																									
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)
AB555*	106.00	54.00	80.00	80.00	86.00	86.00	94.00	94.00	100.00	100.00	110.00	110.00	110.00	120.00	124.00	124.00	128.00	134.00	140.00	174.00	200.00	224.00	256.00	300.00	346.00	480.00	524.00
AC370	59.38																										
AC380*																											
AC405* NEW																											
AC685*		35.00	45.00	45.00	45.00	45.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	56.25	70.00	75.00	87.50	95.00	115.00	135.00	162.50	187.50
AC760*																											
AC800*																											
AC850*	91.50																										
AC900*																											
AC915* NEW	91.50	54.00	69.50	69.50	69.50	69.50	77.00	77.00	77.00	77.00	77.00	77.00	77.00	77.00	77.00	77.00	77.00	77.00	87.00	108.00	115.50	135.00	146.50	177.00	208.00	250.00	288.50

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Not available in 1mm thickness. When ordering with a C-Mount order M25.4-SIS (5mm thick mount). See 25.4® C-Mount for pricing.

NEUTRAL DENSITY FILTERS | ND Series: VIS

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																									
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)
 ND030	70.00																										
 ND060																											
 ND090		40.63	50.00	50.00	50.00	62.50	62.50	62.50	62.50	62.50	67.50	67.50	67.50	67.50	67.50	67.50	67.50	67.50	67.50	86.25	106.25	125.00	168.75	212.50	231.25	306.25	362.50
 ND120																											
 ND200	118.75																										
 ND300		82.00	95.35	95.35	106.25	106.25	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	123.50	133.00	156.25	187.50	242.25	297.00	335.95	430.00	515.65	
 ND400																											
 NDXXX*																											

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Custom Densities up to 400 OD. Call for optical densities greater than 400.

NEUTRAL DENSITY FILTERS | Ni Series: VIS-NIR

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																											
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105		
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																											
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)		
 Ni030	105.00																												
 Ni060																													
 Ni090		78.13	88.75	88.75	98.75	98.75	106.25	106.25	106.25	106.25	112.50	112.50	112.50	122.50	130.00	130.00	137.50	145.00	153.75	173.75	212.50	237.50	262.50	300.00	350.00	500.00	550.00		
 Ni120																													
 Ni200 NEW																													

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

LENS PROTECTION FILTERS

Part # Prefix	25.4" C-Mount	THREADED FILTER MOUNTS																											
		M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105		
		UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																											
		10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)		
○ AC370	59.38																												
○ AC380*		35.00	45.00	45.00	45.00	45.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	56.25	70.00	75.00	87.50	95.00	115.00	135.00	162.50	187.50			
○ AC405* NEW																													
○ LP170 NEW	—	77.00	113.00	113.00	124.00	124.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	132.00	138.00	148.00	174.00	209.00	270.00	313.00	365.00	469.00	556.00			
○ LP171 NEW	—	96.25	141.25	141.25	155.00	155.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	165.00	172.50	185.00	217.50	261.25	337.50	391.25	456.25	586.25	695.00			
○ LP190 NEW	120.00	78.00	120.00	120.00	156.25	156.25	175.00	175.00	187.50	187.50	212.50	390.00	430.00	430.00	430.00	430.00	650.00	650.00	775.00	870.00	1022.50	1230.00	1350.00	1550.00	—	—	—		
○ LP285	82.50	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00			
○ LP286 NEW	92.00	61.25	90.50	90.50	99.00	99.00	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	110.00	118.50	139.00	166.75	215.50	250.00	292.00	375.00	444.50			
○ LP330	59.38	35.00	45.00	45.00	45.00	45.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	56.25	70.00	75.00	87.50	95.00	115.00	135.00	162.50	187.50			
○ LP340	82.50	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00			
○ LP341 NEW	92.00	61.25	90.50	90.50	99.00	99.00	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	105.75	110.00	118.50	139.00	166.75	215.50	250.00	292.00	375.00	444.50			
○ LP345 NEW	103.25	68.75	101.75	101.75	111.00	111.00	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	118.75	123.50	133.00	156.25	187.50	242.25	281.25	328.25	422.00	500.00			
○ LP390	82.50	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00			
○ LP415																													

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

LIGHT BALANCING FILTERS

Part # Prefix	THREADED FILTER MOUNTS																									
	M13.25	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
	UNMOUNTED (Find the diameter or the longest side of a rectangle/square in mm)																									
	10-17.9 (mm)	18-20.9 (mm)	21-22.9 (mm)	23-24.9 (mm)	25-27.9 (mm)	28-31.9 (mm)	32-33.9 (mm)	34-34.9 (mm)	35-35.9 (mm)	36-36.9 (mm)	37-37.9 (mm)	38-39.9 (mm)	40-42.9 (mm)	43-44.9 (mm)	45-45.9 (mm)	46-48.9 (mm)	49-51.9 (mm)	52-54.9 (mm)	55-58.9 (mm)	59-64.9 (mm)	65-68.9 (mm)	69-73.9 (mm)	74-79.9 (mm)	80-88.9 (mm)	89-98.9 (mm)	99-105 (mm)
 LA080	55.00	81.25	81.25	88.75	88.75	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	95.00	98.75	106.25	125.00	150.00	193.75	225.00	262.50	337.50	400.00
 LA120																										
 LB080																										
 LB120																										
 FL550																										

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)


POLARIZING FILTERS

Part # Prefix	THREADED FILTER MOUNTS																								
	M22.5	M25.5	M27	M30.5	M34	M35.5	M37	M37.5	M39	M40.5	M43	M46	M48	M49	M52	M55	M58	M62	M67	M72	M77	M82	M86	M95	M105
● PR032*	55.00	55.00	55.00	58.75	61.25	61.25	65.00	65.00	65.00	65.00	65.00	65.00	65.00	65.00	65.00	65.00	65.00	75.00	87.50	87.50	100.00	135.00	175.00	237.50	387.50
● PR120*	137.50	137.50	142.50	142.50	150.00	150.00	156.25	156.25	156.25	156.25	162.50	162.50	175.00	175.00	175.00	200.00	200.00	206.25	237.50	237.50	300.00	337.50	343.75	375.00	406.25
● PC052*	88.75	88.75	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	97.50	102.50	115.00	150.00	181.25	212.50	256.25	342.50	447.50	487.50
● Pi031*	1155.00	1155.00	1155.00	1962.50	1962.50	1962.50	1962.50	1962.50	1962.50	1962.50	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call	Call
● Pi035*																									
● PR1000 NEW	450.00	525.00	550.00	600.00	865.00	865.00	900.00	900.00	950.00	950.00	965.00	985.00	995.00	995.00	1025.00	1095.00	1125.00	1175.00	1565.00	1780.00	1875.00	2000.00	2100.00	—	—

ADDITIONAL PRICING: Slip Mounts see pg. 3. | CUSTOM FILTER SIZES: Contact MidOpt for custom shapes or sizes larger than 105mm. | HOW TO ORDER: See pg. 2. | All prices are listed in USD(\$)

* Not available in 1mm thickness.

POLARIZING FILM MATERIAL



- Best results are achieved when a polarizing filter is used in conjunction with a polarizing film over the light source
- All visible polarizing sheets are compatible with PR032 and PR120 polarizing filters
- All near-IR polarizing sheets are compatible with Pi031 and Pi035 polarizing filters
- All circular polarizing sheets are compatible with the PC052 polarizing filter
- Can be cut, drilled and custom laser cut to fit most any type of lighting equipment
- Sizes available: maximum width 16.5 inches (419mm), maximum length 300 feet (91.4 meters)

VIS + NIR POLARIZING FILM	Size (inches)	Part #	Price
PS1000	2x2	PS1000-R50.8	112.50
.005" Thick NEW	5x3.45"	PS1000-R127.5xR88	412.50
	10x3.45"	PS1000-R255X88	825.00
PSA1000	2x2"	PSA1000-R50.8	118.75
.005" Thick (Self Adhesive) NEW	5x3.45"	PSA1000-R127.5xR88	435.00
	10x3.45"	PSA1000-R255X88	868.75
PG1000	2x2"	PG1000-R50.8	985.00
2.3mm Thick NEW	5x3.45"	PG1000-R127.5xR88	3,500.00
	10x3.45"	PG1000-R255X88	7,000.00

All prices are listed in USD(\$)

CIRCULAR POLARIZING FILM Includes Quarter Wave Plate	Size (inches)	Part #	Price
PCL	4x4	PCL-R100	35.00
Left-Handed .3mm (.012") Thick	6x6	PCL-R152.4	58.75
	8x8	PCL-R203.2	104.00
PCR	4x4	PCR-R100	35.00
Right-Handed .3mm (.012") Thick	6x6	PCR-R152.4	58.75
	8x8	PCR-R203.2	104.00

HIGH CONTRAST LINEAR POLARIZING FILM	Size (inches)	Part #	Price
PS007	2x2	PS007-R50	12.50
.18mm Thick .007"	4x4	PS007-R100	20.00
	6x6	PS007-R150	35.00
	8.5x8.5	PS007-R215	40.00
	13x13	PS007-R330	63.75
	16.5x12	PS007-R420x304.8	80.00
	16.5x16.5	PS007-R420	108.75
PSA007	2x2	PSA007-R50	15.30
.18mm Thick .007" Self Adhesive	4x4	PSA007-R100	25.00
	6x6	PSA007-R150	41.70
	8.5x8.5	PSA007-R215	50.00
	13x13	PSA007-R330	94.40
	16.5x12	PSA007-R420x304.8	118.75
	16.5x16.5	PSA007-R420	159.70
PS010	2x2	PS010-R50	13.75
.25mm Thick .010"	4x4	PS010-R100	22.50
	6x6	PS010-R150	37.50
	8.5x8.5	PS010-R215	45.00
	13x13	PS010-R330	85.00
	16.5x12	PS010-R420x304.8	108.75
	16.5x16.5	PS010-R420	143.75
PS030	2x2	PS030-R50	16.25
.76mm Thick .030"	4x4	PS030-R100	25.00
	6x6	PS030-R150	40.00
	8.5x8.5	PS030-R215	47.50
	13x13	PS030-R330	95.00
	16.5x12	PS030-R420x304.8	123.75
	16.5x16.5	PS030-R420	165.00

HIGH TEMPERATURE ULTRA HIGH CONTRAST GLASS LINEAR POLARIZING FILM	Size (inches)	Part #	Price
PG120	2x2	PG120-R50	102.00
2.4mm Thick .095"	4x4	PG120-R100	263.75
	6x6	PG120-R150	465.50
	8.5x8.5	PG120-R215	832.50
	12x2	PG120-R305x51	437.50
	12x12	PG120-R305	1,495.00

HIGH TEMPERATURE LINEAR POLARIZING FILM	Size (inches)	Part #	Price
HT025	2x2	HT025-R50	23.75
.63mm Thick .025"	4x4	HT025-R100	37.50
	6x6	HT025-R150	58.75
	8.5x8.5	HT025-R215	71.25
	13x13	HT025-R330	142.00
	16.5x12	HT025-R420x304.8	183.25
	16.5x16.5	HT025-R420	246.25
HT008	2x2	HT008-R50	28.75
.20mm Thick .008"	4x4	HT008-R100	45.00
	6x6	HT008-R150	72.50
	8.5x8.5	HT008-R215	87.50
	13x13	HT008-R330	175.00
	16.5x12	HT008-R420x304.8	227.50
	16.5x16.5	HT008-R420	300.00
	39x23.5/8	HT008-R990x600	600.00
HTA008	2x2	HTA008-R50	30.00
.20mm Thick .008" (Self Adhesive)	4x4	HTA008-R100	46.50
	6x6	HTA008-R150	74.50
	8.5x8.5	HTA008-R215	90.00
	13x13	HTA008-R330	180.00
	16.5x12	HTA008-R420x304.8	234.00
	16.5x16.5	HTA008-R420	315.00
	39x23.5/8	HTA008-R990x600	620.00

NIR HIGH CONTRAST LINEAR POLARIZING FILM	Size (inches)	Part #	Price
Pi005	2x2	Pi005-R50	356.25
.127mm Thick .005"	4x4	Pi005-R100	712.50
	6x6	Pi005-R150	1,068.75
	8.5x8.5	Pi005-R215	1,425.00
	13x13	Pi005-R330	3,337.50

FILTER KITS: BP Series & BN SERIES



M27 Filters and Step Adapters

FK200-27 Machine Vision Filter Test Kit

Ten most popular UV, Visible and NIR machine vision filters. For lenses with M25.5, M27 and M30.5 threads.




Also includes:



Polarizing Film
For Light Source



Microfiber
Cloth



Educational Material, Technical Data
and Transmission Curves

FK200-27	Machine Vision Filter Test Kit Includes:	
● BP324-27	Near-UV Bandpass	
● BP470-27	Blue Bandpass	
● BP525-27	Light Green Bandpass	
○ BP550-27	Near-IR/UV-Block Visible Bandpass	
● BP590-27	Orange Bandpass	
● BP635-27	Light Red Bandpass	
● BP660-27	Dark Red Bandpass	
● BP850-27	Near-IR Bandpass	
● LP920-27	SWIR Longpass	
● PR032-27	Linear Polarizer	
● PS007-R125x95	Polarizing Film 125mm x 95mm	
○ SU25.5-27	M25.5 Step-Up Adapter	
○ SD30.5-27	M30.5 Step-Down Adapter	
Price	812.50	

All prices are listed in USD(\$)



FK220-27 BN Series Filter Test Kit

Reduced bandwidth design for further spectral separation. Recommended for situations where ambient light can be overwhelming. For lenses with M25.5, M27 and M30.5 threads.




Also includes:



Polarizing Film
For Light Source



Microfiber
Cloth



Educational Material, Technical Data
and Transmission Curves

FK220-27	BN Series Filter Test Kit Includes:	
● BN470-27	Narrow Blue Bandpass	
● BN532-27	Narrow Green Bandpass	
● BN595-27	Narrow Orange Bandpass	
● BN630-27	Narrow Light Red Bandpass	
● BN660-27	Narrow Dark Red Bandpass	
● BN740-27	Narrow Near-IR Bandpass	
● BN810-27	Narrow Near-IR Bandpass	
● BN850-27	Narrow Near-IR Bandpass	
● BN940-27	Narrow Near-IR Bandpass	
● PR032-27	Linear Polarizer	
● PS030-R125x95	Ultra High Contrast Polarizing Film 125mm x 95mm	
○ SU25.5-27	M25.5 Step-Up Adapter	
○ SD30.5-27	M30.5 Step-Down Adapter	
Price	1200.00	

All prices are listed in USD(\$)

FILTER KITS: SK100 & Swatch



SK100 Filter Test Kit

The Ultimate Filter Kit

The SK100 includes 70 pieces of M27 size filters for UV, VIS and NIR imaging; making it the ultimate resource for testing the effects of color and wavelength when evaluating image quality.

Filter categories included:

Bandpass; Dual Bandpass; Longpass; Neutral Density; Shortpass; Polarizing; Light Balancing, Protective and Acrylic

Kit Includes:

- 27mm threaded mount filters
- Step adapters to fit most M25.5 and M30.5 lenses
- Polarizing Film for light source (125 x 95mm)
- Educational material on optical filters and technical specs for each filter
- Sturdy case for protective storage

SK100 Filter Test Kit Includes:					
BP324	BP850	BN940	LP715	ND400	PC052
BP365	BP880	Bi632	LP780	SP510	PS030
BP470	BN470	Bi660	LP830	SP585	LA080
BP505	BN532	DB735	LP850	NF550	LA120
BP525	BN595	DB850	LP920	SP625	LB080
BP550	BN630	DB940	LP1000	SP645	LB120
BP590	BN660	LP330	ND030	SP675	FL550
BP635	BN740	LP340	ND060	SP701	AC380
BP660	BN785	LP415	ND090	SP705	AC685
BP695	BN810	LP550	ND120	SP730	AC760
BP735	BN850	LP590	ND200	SP785	SU25.5-27
BP800	BN880	LP695	ND300	PR032	SD30.5-27
Price					7500.00

All prices are listed in USD(\$)



FS100



NS100

Filter Swatch Test Kits

- QR code to link filter specifications
- Larger size 43mm diameter filters
- Filter transmission curve
- Available: FS100 and NS100


FS100	Machine Vision Swatch Kit Includes:	
BP324	Near-UV Bandpass	
BP470	Blue Bandpass	
BP505	Cyan Bandpass	
BP525	Light Green Bandpass	
BP550	Near-IR/UV-Block Visible Bandpass	
BP590	Orange Bandpass	
BP635	Light Red Bandpass	
BP660	Dark Red Bandpass	
BP850	Near-IR Bandpass	
PR032	Linear Polarizer	
Price	875.00	

All prices are listed in USD(\$)

NS100	Neutral Density Swatch Kit Includes:	
ND030	Neutral Density, Absorp. OD = 0.3 (50% trans.)	
ND060	Neutral Density, Absorp. OD = 0.6 (25% trans.)	
ND090	Neutral Density, Absorp. OD = 0.9 (12.5% trans.)	
ND120	Neutral Density, Absorp. OD = 1.2 (6.25% trans.)	
ND200	Neutral Density, Absorp. OD = 2.0 (1.0 % trans.)	
ND300	Neutral Density, Absorp. OD = 3.0 (0.1 % trans.)	
ND400	Neutral Density, Absorp. OD = 4.0 (0.01 % trans.)	
Price	695.00	

FILTER KITS: Binder

Binder Kits Available in Threaded Filter Mount Sizes: M22.5 to M105.
See charts below for individual filter kit contents.



FK100	Machine Vision Filter Kit* Includes:
	BP324 Near-UV Bandpass
	BP470 Blue Bandpass
	BP525 Light Green Bandpass
	BP550 Near-IR/UV-Block Visible Bandpass
	BP590 Orange Bandpass
	BP635 Light Red Bandpass
	BP660 Dark Red Bandpass
	BP850 Near-IR Bandpass
	LA120 Light Balancing (Minus Blue)
	PR032 Linear Polarizer
Polarizing Sheet 4.5" x 5"	

BK100	Bandpass Filter Kit Includes:
	BP365 Near-UV Bandpass
	BP470 Blue Bandpass
	BP525 Light Green Bandpass
	BP590 Orange Bandpass
	BP635 Light Red Bandpass
	BP660 Dark Red Bandpass
	BP695 Near-IR Bandpass
	BP735 Near-IR Bandpass
	BP800 Near-IR Bandpass
	BP880 Near-IR Bandpass

UK100	UV Fluorescence Filter Kit Includes:
	BP324 Near-UV Bandpass
	BP365 Near-UV Bandpass
	BP470 Blue Bandpass
	BP525 Light Green Bandpass
	BP590 Orange Bandpass
	LP415 UV Block

IK100	NIR Filter Kit Includes:
	LP695 Near-IR Longpass
	LP780 Near-IR Longpass
	BP800 Near-IR Longpass
	BP850 Near-IR Longpass
	LP920 Near-IR Longpass
	LP1000 Near-IR Longpass

NK100	Neutral Density Filter Kit Includes:
	ND030 Neutral Density, Absorp. OD = 0.3 (50% trans.)
	ND060 Neutral Density, Absorp. OD = 0.6 (25% trans.)
	ND090 Neutral Density, Absorp. OD = 0.9 (12.5% trans.)
	ND120 Neutral Density, Absorp. OD = 1.2 (6.25% trans.)
	ND200 Neutral Density, Absorp. OD = 2.0 (1.0 % trans.)
	ND300 Neutral Density, Absorp. OD = 3.0 (0.1 % trans.)
	ND400 Neutral Density, Absorp. OD = 4.0 (0.01 % trans.)

*Step-Up & Step-Down Adapter Rings for
M25.5 & M30.5 threaded lenses are included in
all M27 Filter Kits

Part # Prefix	THREADED FILTER MOUNTS																								
	M22.5 Set	M25.5 Set	M27 Set	M30.5 Set	M34 Set	M35.5 Set	M37 Set	M37.5 Set	M39 Set	M40.5 Set	M43 Set	M46 Set	M48 Set	M49 Set	M52 Set	M55 Set	M58 Set	M62 Set	M67 Set	M72 Set	M77 Set	M82 Set	M86 Set	M95 Set	M105 Set
FK100	833.75	833.75	917.50	972.50	1028.75	1056.25	1111.25	1111.25	1153.75	1153.75	1181.25	1236.25	1292.50	1292.50	1333.75	1390.00	1528.75	1806.25	2153.75	2431.25	2847.50	3265.00	3681.25	5347.50	5903.75
BK100																									
UK100	556.25	556.25	597.50	640.00	681.25	708.75	765.00	765.00	792.50	792.50	820.00	861.25	903.75	903.75	945.00	1042.50	1181.25	1390.00	1736.25	2015.00	2431.25	2847.50	3195.00	4931.25	5486.25
IK100																									
NK100																									

All prices are listed in USD(\$)

ACCESSORIES



Step-Up Rings

Filter and Lens Size Versatility

- Use larger diameter filters on lenses with smaller diameter filter threads
- Often mandatory for shorter focal length lenses in order to prevent vignetting

Step-Down Rings

Filter and Lens Size Versatility

- Use smaller diameter filters on lenses with larger diameter filter threads
- The diameter of the filter or lighting to which step-down rings are coupled will be much smaller than the diameter of the lens (often resulting in vignetting)

Step Adapters - Step-Up

Part #	Price	Part #	Price	Part #	Price
SU25.5-27	30.00	SU43-46	25.00	SU62-67	25.00
SU25.5-37	25.00	SU46-49	25.00	SU62-77	45.00
SU25.5-30.5	25.00	SU46-52	25.00	SU62-82	45.00
SU25.5-46	25.00	SU46-55	25.00	SU67-72	45.00
SU27-30.5	30.00	SU46-58	25.00	SU67-77	45.00
SU27-37	25.00	SU49-52	25.00	SU67-82	45.00
SU27-40.5	60.00	SU49-55	25.00	SU67-95	45.00
SU27-46	25.00	SU49-58	25.00	SU67-105	45.00
SU30.5-37	25.00	SU52-55	25.00	SU72-77	45.00
SU30.5-46	25.00	SU52-58	25.00	SU72-82	45.00
SU34-37	25.00	SU52-62	25.00	SU72-95	45.00
SU34-46	25.00	SU52-67	25.00	SU72-105	45.00
SU35.5-37	25.00	SU52-72	25.00	SU77-82	45.00
SU37-43	25.00	SU52-77	25.00	SU77-95	45.00
SU37-46	25.00	SU55-58	25.00	SU77-105	45.00
SU37-49	25.00	SU55-62	25.00	SU82-95	45.00
SU37-52	25.00	SU55-72	25.00	SU82-105	45.00
SU40.5-46	25.00	SU58-62	25.00	SU86-95	45.00
SU40.5-49	25.00	SU58-67	25.00	SU86-105	45.00

Step Adapters - Step-Down

Part #	Price	Part #	Price	Part #	Price
SD27-25.5	30.00	SD55-46	25.00	SD67-58	45.00
SD30.5-27	30.00	SD55-48	25.00	SD67-62	45.00
SD34-30.5	30.00	SD55-49	25.00	SD72-55	45.00
SD40.5-37	25.00	SD55-52	25.00	SD72-58	45.00
SD43-37	25.00	SD58-46	25.00	SD72-62	45.00
SD46-37	25.00	SD58-52	25.00	SD72-67	45.00
SD46-40.5	25.00	SD58-55	25.00	SD77-62	45.00
SD46-43	25.00	SD62-46	25.00	SD77-67	45.00
SD49-37	25.00	SD62-49	25.00	SD77-72	45.00
SD49-46	25.00	SD62-52	25.00	SD82-67	45.00
SD49-48	25.00	SD62-55	25.00	SD82-72	45.00
SD52-46	25.00	SD62-58	25.00	SD82-77	45.00
SD52-48	25.00	SD67-52	45.00	SD95-82	45.00
SD52-49	25.00	SD67-55	45.00		

All prices are listed in USD(\$)

ACCESSORIES



EXTENSION RINGS

Decrease Minimum Object Distance

- Increase magnification for close-up applications
- Available as a 6 Ring Set EXT-S-SET, 4 Ring Set EXT-UL-SET and individual sizes; 0.5mm-100mm

Part #	Description	Price
EXT-S-SET	6-Ring Set: 0.5mm, 1mm, 5mm, 10mm, 20mm, 40mm	88.75
EXT-UL-SET	4-Ring Set: 1mm, 5mm, 10mm, 20mm	58.00
EXT-0.5	0.5mm	7.50
EXT-1.0	1mm	7.50
EXT-2.0	2mm	16.25
EXT-5.0	5mm	20.00
EXT-10.0	10mm	21.00
EXT-15.0	15mm	27.50
EXT-20.0	20mm	32.50
EXT-30.0	30mm	37.50
EXT-40.0	40mm	37.50
EXT-50.0	50mm	50.00
EXT-100.0	100mm	100.00



ROTATING RIGHT ANGLE ATTACHMENTS

View at a 90° angle

- Permits viewing at a 90° angle
- Attachments can be adapted to smaller lenses by using step-up ring

Part #	Price
RA034-22.5	230.00
RA034-25.5	230.00
RA034-27	230.00
RA034-30.5	230.00
RA034-34	230.00
RA034-35.5	230.00
RA034-37	230.00
RA034-37.5	230.00
RA034-40.5	230.00
RA034-43	230.00
RA034-46	230.00
RA060-49	230.00
RA060-52	230.00
RA060-58	230.00
RA060-62	230.00



CLOSE-UP LENS SET

Increase Focus Distance

- Consists of +1, +2 and +4 diopter lenses
- Available from stock, mounted in threaded, black anodized aluminum rings

Part #	Price
CU700-25.5	89.95
CU700-27	89.95
CU700-30.5	89.95
CU700-34	89.95
CU700-35.5	89.95
CU700-37	89.95
CU700-37.5	89.95
CU700-40.5	89.95
CU700-43	89.95
CU700-46	89.95
CU700-49	89.95
CU700-52	99.95
CU700-55	109.95
CU700-58	129.95
CU700-62	149.95

All prices are listed in USD(\$)

ACCESSORIES



LENS ENCLOSURES

Protect Your Lens

- Tamper and dust proof
- Fits most CS mount cameras
- Anti-reflection coated to maximize transmission
- Equipped with a built-in 5mm spacer to adapt C-Mount lenses
- Easy to clean

Part #	Description	Price
LE100-LP340 Glass window with an anti-reflection coating	Includes LE245-43, LE025-43, LE005-43, LE010-43 and LP340-43	156.25
LE100-AC380 Anti-abrasion acrylic window with an anti-reflection coating, approved for FDA applications	Includes LE245-43, LE025-43, LE005-43, LE010-43 and AC380-43	131.25

Both sets include the following extension tubes:


* Tubes are stackable. Additional extension tubes in the sizes below are available and can be purchased individually to accommodate longer lenses.

Part #	Description	Price
LE245-43 Lens Enclosure Base	Enclosure mount with built in 5mm spacer	37.50
LE005-43	Lens Barrel 5mm	25.00
LE010-43	Lens Barrel 10mm	25.00
LE025-43	Lens Barrel 25mm	30.00

NOW AVAILABLE:

Custom adapters available for various C-mount camera models. Contact us for details.

All prices are listed in USD(\$)




BACKLIGHT fluoreSHEET™

- Adhesive backing
- Repels water
- Tear-resistant
- Flexible

Available Sizes:

Part #	Size	Price
BF590-R280x216	8.5" x 11"	450.00
BF590-R356x280	11" x 14"	750.00
BF590-R432x280	11" x 17"	900.00



P/N: BF590-R432x280

P/N: BF590-R356x280

P/N: BF590-R280x216



CLEANING KIT

For all Optics, Lenses and Lighting

CK100 CONTENTS: Compressed air duster, glass surface cleaner, premium grade optical tissue, microfiber cleaning cloth and cotton swabs.

CK100-NA available in a compact version for easy storage and international shipping. Compressed air duster is not included.

POC1: Glass surface cleaner with microfiber cleaning cloth.

Part #	Price
CK100	60.00
CK100-NA	42.00
POC1	12.50

RETURN POLICY

Our goal is to provide high quality products. If you are dissatisfied with your purchase, you may return it to Midwest Optical Systems within 30 days of the ship date. Claims for missing items or items damaged in transit must be received within two business days of receipt of merchandise.

You have the option to exchange the item(s) or receive a credit or refund for the full amount of the item purchased. Refunds for returned items will be issued in the same payment form as tendered at the time of purchase. If payment was made by credit card, once we receive the product we will credit your account. Please allow 7-10 days for a credit to appear on your credit card statement.

Please read all conditions below. If conditions are not met, Midwest Optical Systems reserves the right to refuse the return or to charge a 25% restocking fee.

How to return or exchange an item

In order to return an item you need to first obtain an RMA (Return Merchandise Authorization) number

- To request an RMA number, email us at rma@midopt.com
- To request an RMA number by phone, call Customer Service at 847-359-3550
- Place the original package into a shipping carton.
- Please do not place stickers or shipping labels on the original manufacturer's packaging.
- The RMA number must be clearly written on the outside of the shipping carton.
- Ship via insured ground service with a tracking number. Return shipping charges are the responsibility of the customer. MidOpt is not responsible for lost or damaged packages.

Send pre-authorized returns to: Midwest Optical Systems
322 Woodwork Ln
Palatine, IL 60067 USA

Warranty

Manufacturer warrants all components against defects in materials and workmanship for 24-months from the date of shipment. Manufacturer's liability under this warranty is limited solely to the Manufacturer's option of replacing, repairing or issuing credit in the amount of the purchase price of such product.

Return/Exchange

- All returned or exchanged items must be in new resalable condition, in their original box, and must include all packing material.
- Defective items may be repaired or exchanged at MidOpt's discretion for the same model or manufacturer's equivalent model.
- RMA numbers are valid for 10 days.
- Midwest Optical Systems is not responsible for any consequential or incidental damage resulting from the sale or use of any merchandise bought from us. MidOpt is responsible for the monetary value of the merchandise only.

Non-Refundable

- Custom size filters
- Filters 67mm in diameter or greater
- Non-stocked items
- Custom Optics
- Slip mounts
- Orders exceeding quantities of 50 pieces
- Unmounted Filters

Evaluation Policy

- Any stock lens, light or filter under 67mm in diameter may be evaluated for a period of 30 days.
- Customer must issue a PO or place a credit card on file to evaluate a product. New customers must first obtain credit approval (3rd party shipping is preferred).
- If merchandise is not returned within the 30-day evaluation period, customer will be charged the entire amount of the item.
- In the event the item is returned after the 30-day evaluation period, a 25% restocking fee will be applied.
- Items must be returned in original packaging and resalable condition.
- Ship via insured ground service with a tracking number. Return shipping charges are the responsibility of the customer. MidOpt is not responsible for lost or damaged packages.

Filter Performance

The performance of a filter is based on what happens to light passing through the filter. The apparent color of light reflected off the surface is not a reliable way to judge the filter's capabilities. Batch-to-batch difference in the apparent color of the coatings or filter substrates can often be easily seen when looking at two examples of the same filter type. The color of the coating does not indicate a disparity in performance. Standard surface quality for most filters is 40/20 scratch/dig. Filters 62mm and greater have a surface quality tolerance of 60/40 scratch/dig.